



JAN 12 2006

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Mr. Jay Choi  
Director, Regulatory Affairs  
Camsight Co., Inc.  
3380 San Fernando Road  
LOS ANGELES CA 90065

Re: K053221  
Trade/Device Name: CDMx-H  
Regulation Number: 21 CFR 872.1800  
Regulation Name: Extraoral source  
x-ray system  
Regulatory Class: II  
Product Code: MUH  
Dated: November 14, 2005  
Received: November 23, 2005

Dear Mr. Choi:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at one of the following numbers, based on the regulation number at the top of this letter:

|                 |                                  |              |
|-----------------|----------------------------------|--------------|
| 21 CFR 876.xxxx | (Gastroenterology/Renal/Urology) | 240-276-0115 |
| 21 CFR 884.xxxx | (Obstetrics/Gynecology)          | 240-276-0115 |
| 21 CFR 892.xxxx | (Radiology)                      | 240-276-0120 |
| Other           |                                  | 240-276-0100 |

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,



Nancy C. Brogdon  
Director, Division of Reproductive,  
Abdominal, and Radiological Devices  
Office of Device Evaluation  
Center for Devices and Radiological Health

Enclosure

510(k) number (if known): K 053221

page 1 of 1

Device Name: CDMx-H

Indications For Use:

The CDMx-H is intended for dental radiographic examination and diagnosis of the teeth, jaw and oral structure by using scanned dental x-ray images sent through the digital x-ray sensor.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

**Concurrent of DCRH, Office of Device Evaluation (ODE)**

Prescription Use ✓  
(Per 21 CFR 801.109)

OR

Over-The-Counter Use \_\_\_\_\_

(Optional Format 1-2-96)

David R. Segson  
(Division Sign-Off)  
Division of Reproductive, Abdominal, and  
Radiological Devices  
510(k) Number K053221